



Download or visit our 2021 catalogue in PDF



CEROIL PRODUCT, S.L. C/ Mestral s/n - P.I. Can Volart 08150 Parets del Vallés Barcelona - Spain

Tel. +93 160 05 30 E. info@ceroil.com



PRODUCT INDEX

		Page	
INYETSOL + STOP SMOKE CATALYST CLEANER	FUEL ADDITIVES DIESEL POWER DPF CLEANER ACTICIDE CMG	05	
	LUBRICANT ADDITIVES PLATINUM HYDRAULIC TAPPETS VISCOSITY +	06	
ECONOMIZER K	KITS IT 2-PHASE DPF CLEANER KIT	07	
	STOP LEAK		
EXPRESS RADIATOR STOP LEAK COPPER RADIATOR STOP LEAK ENGINE STOP LEAK	POWER STEERING STOP LEAK MT STOP LEAK	08	
	SPRAYS		
ADMISSION CLEANER PENETRATING FLUID BRAKE CLEANER QUICK START CARBON CLEANER	INYECTOR UNBLOCKER DRY LUBE CONTACT CLEANER MULTI LUBE MP 2.5 GREASE		
	CLEANING & MAINTENANCE		
CLEANER + ULTRA CLEANER BRAKE CLEANER DE-ICER ADBLUE ADBLUE INJECTOR CLEANER	GASKET SILICONE RADIATOR CLEANER – ACIDIC RADIATOR CLEANER – ALKALINE ENGINE CLEANER POLISH	12	
	ANTIFREEZE · COOLANTS		
30% ANTIFREEZE 50% ANTIFREEZE G-12 (LOW TEMPERATURES)	WINTER DIESEL RACING COOLANT ON TRACK COOLANT	14	
ECO	CLEAN - ECOLOGICAL CLEANING	16	
INTERIOR SURFACES UPHOLSTERY BODYWORK WHEELS TYRES	MOSQUITOES GLASS LEATHER NUTRIENT ALCOHOL GEL ALCOHOL SPRAY	10	





FUEL ADDITIVES



CATALYST CLEANER



Catalyst cleaner. Diesel and petrol.

Powerful cleaner for catalysts, lambda sensors and other exhaust system components. Ideal for passing emissions tests, as it dissolves accumulated soot and resins. · Dissolves Diesel fuel and petrol residues in catalysts,

lambda sensors, pumps, injectors and exhaust system. Reduces maintenance costs.

- · Cleans and restores catalyst function.
- · Restores proper air/fuel ratio.
- Prolongs catalyst service life.
- · Ideal for vehicles used for short journeys.

REF	CAPACITY	U/BOX
CO0052FNA	500 ml	12
CO0052HNA	1 L	12
CO0052JNA	5 L	4



Injector cleaner • Anti-smoke • Pre-test

New formula. One of the most complete fuel additives on the market, with all the features of 4 products in 1. High-speed cleaner for state-of-the-art injectors that removes all types of dirt or impurities that could hinder good performance in any part of the fuel system. An excellent treatment for fuel and fuel tanks, removes water and condensation.

2- Anti-smoke 3- Pre-test treatment 4- Fuel treatment

REF	CAPACITY	U/BOX
CO0019FAC	500 ml	12
CO0019HAC	1 L	12
CO0019JAC	5 L	4
COOOO3YAC	100 ml	20

DIESEL POWER 1 L. Cerdi 200 ml.

Diesel enhancer

Increases cetane number (Diesel fuel flammability rating). Improves combustion and reduces particle emissions and opacity in Diesel engines. For all types of Diesel fuel. Avoids having to use the more expensive commercial Diesel fuels produced by oil companies.

 Increases cetane rating and prevents formation of residues due to low-cetane Diesel fuels.

- · Improves cold starting and engine power response.
- · Stabilizes idle speed and eliminates judder.
- · Does not damage catalysts.
- · Absorbs water and reduces freezing of Diesel fuel.

REF	CAPACITY	U/BOX
CO0046BNA	200 ml	12
CO0046HNA	1 L	12

STOP SMOKE



Anti-smoke • Pre-test treatment

Powerful fuel system cleaner that reduces smoke and particle emissions by up to 50%. Ideal for pretest (technical inspection) treatments. For persistent or very black smoke, we recommend cleaning with Ceroil Inyetsol+ and/or Admission Cleaner.

· Petrol and Diesel.

· Reduces the emission of smoke and polluting gases by up to 50%.

- · Reduces unburned hydrocarbon emissions.
- · Reduces particle emissions.

· Reduces carbon monoxide (CO) and nitrogen oxide (NOx) emissions.

REF	CAPACITY	U/BOX
CO0042FNA	200 ml	12



Cleans the particle filter

High-performance cleaner that regenerates and removes soot from the DPF/FAP quickly and safely, reducing maintenance costs. On short journeys, the DPF/FAP does not reach a high enough temperature to remove the soot, so engines automatically regenerate the DPF by injecting diesel fuel to provoke combustion. This type of driving prevents the process from taking place, leading to the accumulation of soot. This switches on the DPF warning light and reduces engine power, as well as producing excessive fuel consumption and potential faults.

REF	CAPACITY	U/BOX
CO0033FNA	500 ml	12
CO0033HNA	1 L	12
CO0033JNA	5 L	4

Ceroii

5

ceroil.com

FUEL ADDITIVES

ACTICIDE® CMG



Anti-bacterial Diesel additive

ACTICIDE® CMG is a solvent-based biocide, a blend of chloromethyl and methylisothiazolinone in glycol, recommended for non-aqueous or low-water-content systems that are susceptible to microbiological contamination. ACTICIDE® CMG has good anticorrosion properties and provides protection against microbiological degradation, as well as preventing residue formation in tanks and refineries, valves, etc.

REF	CAPACITY	U/BOX
CO0056CNA	100 ml	20
CO0056FNA	500 ml	12
CO0056HNA	1 L	12
CO0056JNA	5 L	4
CO0056KNA	25 L	-



LUBRICANT ADDITIVES



Ceramic anti-friction treatment

Concentrated ceramic micro-particles which, dispersed in lubricating oil, adhere to metal, forming a thin, diamond-hard protective layer that is very slippery. This produces an anti-friction effect that improves performance, lowers consumption and extends the service life of the engine. Treatment for metal components that does not alter oil properties. For engine and/or gearbox. Appropriate for all types of engine and transmission in passenger, classic, racing, rally, sports and premium cars as well as vans, lorries, cranes, diggers, and nautical and industrial vehicles, etc.

• Reduces fuel consumption by up to 15%.

- · Markedly lowers smoke and polluting gas emissions by up to 50%.
- Facilitates cold starting, preventing wear at this critical time.
- Markedly improves performance at low speeds.
- Reduction in energy loss due to friction.
- Lowers engine, gearbox and transmission operating temperature.
 Improves engine compression and extends the service life of
- the engine.
- Minimizes wear caused by mineral oil EP additives.
- Reduces oil consumption, since it covers its tolerances.
- Does not alter oil properties.
- · Product is totally harmless to the engine.

Drastically reduces friction

Concentrated ceramic micro-particles which, dispersed in lubricating oil, adhere to metal, forming a thin, diamondhard protective layer that is extremely slippery. This produces an anti-friction effect that improves performance, lowers consumption and extends the service life of the engine. Treatment for metal components that does not alter oil properties. Suitable for both 2-stroke and 4-stroke engines. Treatment for engine and/or gearbox.

• Reduces fuel consumption by up to 15%.


• Markedly lowers smoke and polluting gas emissions by up to 50%.

- Facilitates cold starting, preventing wear at this critical moment.

REF	CAPACITY	U/BOX
CO0014CTA	100 ml	20

6 🔷 Ceroii

LUBRICANT ADDITIVES





Comprehensive engine treatment: injector cleaner + ceramic anti-friction treatment

CEROIL PLATINUM: Concentrated ceramic micro-particles that disperse in lubricating oil and adhere to metal, creating a thin, diamond-hard layer that is extremely slippery. This produces an anti-friction effect which improves performance, lowers consumption and extends the service life of the engine.

INYETSOL+: The most complete fuel additive. All the features of 4 products in 1. High-speed cleaner using state-of-the-art technology. Remove any dirt that is obstructing fuel ducts and preventing proper injector operation.

• Suitable for petrol and Diesel.

• Reduces fuel consumption by up to 15%.

· Reduces smoke and polluting gas emissions by up to 44%.

- · Facilitates cold starting.
- · Removes residues and carbon from the combustion chamber.
- Does not alter fuel octane rating.

Up to 15%
fuel consumption

50%	
smoke and	performance

ting ga

pollu



🔿 ceroi

REF	CAPACITY	U/BOX	REF	CAPACITY	U/BOX	REF	CAPACITY	U/BOX
CO0032FNA	500 ml + 200 ml	12	CO0031FNA	100 ml + 100 ml	12	CO0034FNA	1 L + 1 L	6
CO0035FNA	100 ml + 200 ml	12						

KITS

2-PHASE DPF CLEANER KIT



Cleans and regenerates the particle filter

High-performance cleaner that regenerates and removes soot from the DPF/FAP quickly and safely, reducing maintenance costs. On short journeys, the DPF/FAP does not reach a high enough temperature to remove the soot. Engines automatically regenerate the DPF by injecting diesel fuel to cause combustion, but this type of driving prevents the process from taking place, leading to an excessive accumulation of soot. This switches on the DPF warning light and reduces engine power, as well as producing excessive fuel consumption and potential faults.

PHASE 1 – DECARBONIZER

• PHASE 2 – NEUTRALIZER

ACCESSORY: Flush gun for product application and efficient cleaning of the DPF.

REF	CAPACITY	U/BOX
CO0050HNA	1 L + 1 L	6
CO0050JNA	5 L + 5 L	4
PIDPF	750 ml	GUN

STOP LEAK



Repairs and prevents minor leaks

Green additive for rendering visible the location of the leak. For coolant that repairs minor leaks in the cooling circuit and protects against oxidation and corrosion. For all types of radiators and heating systems.

Cleans the radiator system by removing limescale, oxides and debris.

- Seals minor cooling system leaks.
- · Harmless to rubber and gaskets.
- · Low pour point. Excellent heat transfer.
- Excellent anti-corrosion protection.
- Reduces maintenance costs

REF	CAPACITY	U/BOX
CO0021FIS	500 ml	12
CO0021HIS	1 L	12
CO0021JIS	5 L	4

COPPER RADIATOR STOP LEAK



Permanent seal treatment

Permanent sealing treatment for cooling circuits, consisting of a blend of ceramic and copper particles that are activated by heating to permanently seal the leak. For all types of aluminium, iron, copper or brass radiators and heating systems, including radiators with a plastic tank.

- No clogging or obstruction. Life-long radiator sealing.
- Harmless to gaskets and rubber. Does not seal on hoses.
- Compatible with all antifreeze.

REF	CAPACITY	U/BOX
CO0036FNA	500 ml	12
CO0036HNA	1 L	12
CO0036JNA	5 L	4

by national state of the state



Regenerates gaskets and prevents leaks

Oil-soluble additive that regenerates hardened gaskets, seals small cracks, and stops and prevents minor oil leaks.
For all types of Diesel and petrol engines that leak oil.
Restores the elasticity of sealing rings and crankshaft, camshaft and valve guide oil seals made of rubber or neoprene.

- · Does not alter oil quality or viscosity.
- · Reduces engine oil consumption.
- · Eliminates oil leaks.
- Restores the elasticity of engine gaskets and oil seals.

REF	CAPACITY	U/BOX
CO0033FNA	500 ml	12
CO0033HNA	1 L	12
CO0033JNA	5 L	4

8 🔷 Ceroii

ceroil.com

STOP LEAK

POWER STEERING STOP LEAK



Regenerates gaskets and stops leaks

Oil-soluble additive that regenerates hardened gaskets, seals small cracks, and stops and prevents minor oil leaks in the power steering system. Compatible with all oils used in power steering systems or automatic transmissions that meet DEXRON or equivalent and LHM specifications.

- Restores elasticity of rubber or neoprene gaskets.
- · Prevents and seals leaks with no disassembly.

Does not alter oil quality or viscosity.

• Ensures optimal performance and reduces power steering noises.

· Prevents ageing and oxidation of power steering fluid.



Regenerates gaskets and stops leaks

Oil-soluble additive for regenerating gearbox gaskets and oil seals, restoring leak tightness. Prevents oil particles from entering dry clutches and insufficient transmission lubrication, as well as potential gearbox damage due to low oil levels.

Suitable for all types of mechanical gearboxes, differential gears and output gears. Do not use in automatic transmissions or wet clutches.

- Stops oil dripping from gearboxes and transmissions.
- · Regenerates and softens hardened gaskets.

• Protects clutches from oil leaks, prevents insufficient lubrication and transmission damage.

REF	CAPACITY	U/BOX	REF	CAPACITY	U/BOX
CO0087CNA	100 ml	8	CO0088BNA	200 ml	12





Ceroil

SPRAYS

PENETRATING FLUID

ADMISSION CLEANER



Admission system cleaner

Powerful organic cleaner that removes residues and sediments from the admission system, turbos, EGR valves, etc. Ideal pre-test treatment.

For admission systems of all Diesel, petrol, turbo and carburettor engines. Excellent foam filter cleaner.

· Protects and cleans oxygen sensors and catalyst.

Cleans by wear and/or wiping, eliminating the risk of hard

core shell particles entering the combustion chambers.

· Restores idle speed.

REF	CAPACITY	U/BOX
CO0041EIS	400 ml spray	12

QUICK START



Ceramic penetrating oil

Multipurpose concentrated ceramic penetrating oil. Descales, loosens and lubricates all oxidized and/or seized parts.

- · Fast, long-lasting lubrication of descaled parts.
- Oxidation and corrosion protection.

· Excellent penetration thanks to micronization of ceramic particles.

- · Removes tar residues, rust and corrosive particles.
- · Reduces noises (metal on metal) and metallic seizing due
- to temperature, humidity or oxidation.
- · Harmless to rubber and plastics.
- · Prevents adherence of salts, inks, dust, etc.

REF	CAPACITY	U/BOX
CO0016EIS	400 ml	12
CO0016KIS	25 L	-

CARBON CLEANER corbon deaner TURBO EGP cerd 400 ml.

Decarbonizer

Powerful decarbonizer, removes debris stuck to injectors, turbos, EGR valves, etc. Ideal pre-test treatment.

For admission systems of all Diesel, petrol, turbo and carburettor engines. Excellent foam filter cleaner.

- · Reduces fuel consumption and emissions.
- · Removes debris and sediments from the admission system.
- · Protects and cleans oxygen sensors and catalyst.
- · Cleans by wear and/or wiping, eliminates the risk of hard core shell particles entering the combustion chambers.

REF	CAPACITY	U/BOX
CO0053EIS	400 ml	12
CO0053JIS	5 L	4
CO0053KIS	25 L	-

BRAKE CLEANER



Brake and clutch cleaner

Powerful ultra-fast-drying cleaner for brakes, clutches and other mechanical parts.

- · Quickly applied highly volatile product.
- · Removes oil, grease, brake fluid, dust and friction debris. · Eliminates clutch seizure caused by oxidation of metallic parts.
- · Eliminates brake pad squeal.
- · Harmless to rubber and plastics.

REF	CAPACITY	U/BOX
CO0022EIS	400 ml	12
CO0022JIS	5 L	4
CO0022KIS	25 L	-

INYECTOR UNBLOCKER



Unblocks injectors and spark plugs

Penetrating spray with boron nitride ceramics and lubricant that helps release seized injectors and spark plugs, freeing them to allow their removal.

- · Facilitates fast extraction of seized injectors and spark plugs.
- · Contains ceramic and other composite microparticles
- that penetrate and facilitate extraction.
- Does not contain products that harm the engine.

REF	CAPACITY	U/BOX
CO0077FIS	400 ml	12

CAPACITY

200 ml

- quick
- tart AUTO

Facilitates engine starting.

200 ml.

REF

CO0047BIS


Solvent- and oil-based quick-start spray with flammable propellant. Suitable for all types of Diesel or petrol engines. · Fast and safe for starting problems, particularly in cold, damp climates.

U/BOX

12

Suitable for engines with compression problems.

SPRAYS



Dry ceramic lubrication

High concentration ceramic lubricant for dry lubrication of metals and plastics. For all types of use such as lubrication of guides and slide rails, ejectors and slides in injection moulds, firearms. Excellent mould release and anti-stick agent for high temperatures. Eliminates weld splatter. Dry lubrication for all sectors of industry.

· Reduces friction, prevents wear and protects against corrosion.

• Dry-lubricates continuously at up to 950 °C.

· Reduces noise (metal on metal).

REF	CAPACITY	U/BOX	REF	CAPACITY	U/BOX
CO0009EIS	400 ml	12	CO0076BLI	200 ml	12



Multipurpose ceramic lubricant

Concentrated multipurpose lubricant with ceramics and teflon. Descales, loosens and lubricates oxidized and/or seized parts.

- · Excellent lubricating, EP and anti-wear properties.
- · High stability to oxidation and ageing.
- · Lubricates at high temperatures.
- · Protects against internal and external corrosion.
- · Excellent penetration thanks to low micronization of

ceramic particles.

 Reduces noises (metal on metal) and metallic seizing due to temperature, humidity or oxidation.

• Harmless to rubber and plastics.

* MULTI-LUBE PLUS with high ceramic content.

REF	CAPACITY	U/BOX
CO0007EIS	400 ml	12
* CO0010EIS	400 ml	12



Oxide remover

Product for removing dirt from electrical systems. Dissolves and eliminates oxides and sulphurs produced by the effects of flooding and damp on electrical circuits and systems.

Can also be used for removing oils and resins. Nonaggressive product. Harmless to the most common materials in electrical systems.



White lithium grease

Multifunctional lithium grease with very high thermal stability for multiple applications. For all types of uses such as bearings, rollers, guides, open gears, racks, valve wrenches, shafts and mechanical closures on water pumps, injection moulds, etc.

- Reduces friction and prevents wear.
- Reduces thermal degradation.
- From -30 °C to +160 °C
- · Reduces noises (metal on metal) and metallic seizing due
- to temperature, humidity or oxidation.

REF	CAPACITY	U/BOX
CO0008EIS	400 ml	12
CO0004HIG	1 kg	6
CO0004JIG	5 kg	4



CLEANING & MAINTENANCE

CLEANER +



Universal degreasing cleaner

Universal degreasing cleaner for removal of grease and all types of persistent residue.

Effortlessly removes residue, grease and oil from all types of metal and plastic components without using caustic or aggressive products.

Excellent exterior degreasing cleaner.

Removes grease and residues from metal.

• Removes tar residues, rust and corrosive particles.

· Quickly applied highly volatile product.

- · Harmless to rubber and plastics.
- · Low-toxicity product. Biodegradable.

REF	CAPACITY	U/BOX
CO0020JIS	5 L	4
CO0020KIS	25 L	-



Biodegradable degreaser

Multifunction industrial degreaser for cleaning components and for ultrasound machines.

Active degreaser based on polyalcohol solvents and corrosion inhibitors. Specially formulated for removing grease and all types of persistent dirt. Does not contain NaOH (caustic soda)

Thanks to its high cleaning power, it removes grease and more ingrained dirt with no need to use mechanical effort or aggressive products.

CAPACITY

5 L

251

U/BOX

4

REF

CO0049JNA

CO0049KNA

BRAKE CLEANER



Brake and clutch cleaner

Powerful ultra-fast-drying cleaner for brakes, clutches and other mechanical parts.

· Quickly applied highly volatile product.

Removes oil, grease, brake fluid, dust and friction debris.
Eliminates clutch seizure caused by oxidation of metallic parts.

Eliminates brake pad squeal.

Harmless to rubber and plastics.

REF	CAPACITY	U/BOX
CO0022EIS	400 ml	12
CO0022JIS	5 L	4
CO0022KIS	25 L	-

DE-ICER



Windscreen defrosting spray

Defrosting de-icer product for windscreens and locks. Acts immediately on the surface of windscreens, windows, locks, headlights, mirrors or any part that is exposed to temperatures below zero. A small amount is enough to melt frost, snow or ice.

• Can be applied as a thin layer at night as a preventative measure.

REF	CAPACITY	U/BOX
CO0089DLI	250 ml	20



Reduction of exhaust gas NOx

Urea solution at approximately 32.5% dissolved in demineralized water, that must be used in both heavy and light Diesel vehicles with SCR (selective catalytic reduction) technology to meet Euro 4, Euro 5 and Euro 6 emissions standards.

 Additive that enables the reduction of polluting gases which contribute to the greenhouse effect by converting nitrogen oxides into natural atmospheric components (nitrogen and water vapour).

REF	CAPACITY	U/BOX
CO0090GNA	10 L	-

ADBLUE INJECTOR CLEANER



Urea injector cleaner - SCR

Active substance for solving obstruction problems due to crystallization of AdBlue in the injectors. This specially developed formula cleans urea injectors and dirty SCR catalysts. This avoids loss problems ranging from loss of performance to engine malfunctions. Regular application as a preventative measure is advisable.

REMEDY DOSE: Apply all 100 ml of the container to the AdBlue tank, ideally at the reserve stage (when we are notified that it needs refilling).

PREVENTATIVE DOSE: Dose the 100 ml in the bottle in three or four applications (of 33-25 ml each) as a preventative treatment each time the AdBlue tank is refilled.

REF	CAPACITY	U/BOX
CO0091CLI	100 ml	20

CLEANING & MAINTENANCE

RADIATOR CLEANER - ACIDIC

GASKET SILICONE



Non-acetic gasket-forming silicone

For mechanical joints. Used for crankshafts, crankcases, gearboxes, thermostats, oil ducts, sealing junction boxes, water pumps, waterproof seals in electrical equipment, etc.

· Resistant to oils, antifreeze, hydrocarbons and damp. · Resistant to the combustion cycle, vibration and impacts,

producing an efficient joint.

· High mechanical stability to vibrations.

· High adhesion capacity and flexibility.

· Can fill in large cavities.

 Harmless to gaskets, rubber and metals such as aluminium and steel.

• High thermal resistance from -60 °C to 260 °C

REF	CAPACITY	U/BOX
CO0038CNA	200 ml	12



Removes rust from the cooling system

It is an additive that cleans and removes oxides, limescale and grease from cooling systems. For all cooling circuits and radiators in all passenger cars, buses, trucks, nautical equipment and machinery.

· Cleans the radiator system by removing oxides and debris.

· Harmless to rubber, gaskets and metals.

Excellent anti-corrosion protection.

Reduces maintenance costs.

REF	CAPACITY	U/BOX
CO0028FNA	500 ml	9
CO0028HNA	1 L	6
CO0028JNA	5 L	4
CO0028KNA	25 L	-

RADIATOR CLEANER - ALKALINE



Eliminates oil from cylinder head failure

This is a coolant additive that removes oil originating from a cylinder head gasket failure and also cleans and removes oxides, limescale and grease from the cooling system. For all cooling circuits and radiators in all passenger cars, buses, trucks, nautical equipment and machinery.

- · Cleans the radiator system by removing oxides and debris.
- · Harmless to rubber, gaskets and metals.
- · Excellent anti-corrosion protection.
- Beduces maintenance costs.

REF	CAPACITY	U/BOX
CO0047FNA	500 ml	9
CO0047HNA	1 L	6
CO0047JNA	5 L	4
CO0047KNA	25 L	-

ENGINE CLEANER



Cleaner additive for oil

Eliminates all kinds of debris, sediments and scale from the crankcase interior. For petrol and Diesel engines. Can be applied to all internal engine parts: crankcase, connecting rods, crankshaft, camshafts, valves, piston rings, oil pump, housings, hydraulic systems, gearboxes, pins, etc.

· Extends service life and improves the circulation of new oil.

· Non corrosive. Harmless to rubber, plastics and metals.

· Miscible with all mineral and synthetic oils.

REF	CAPACITY	U/BOX
CO0029FNA	500 ml	12
CO0029HNA	1 L	12
CO0029JNA	5 L	4
CO0029KNA	25 L	-

BODYWORK SHAMPOO)WD ceroil

Foam for pressure-washing vehicles

Concentrated product for manual or car wash use in washing bodywork (cars, trucks, etc.). Suitable for cleaning and protecting the vehicle exterior from all weather conditions such as sun, dust and rain.

Professional cleaning products for cars or trucks have been thoroughly tested to achieve optimum cleanliness of your car or trucks bodywork. They also act on the most fraught areas of the vehicle, avoiding obstruction and wear of nozzles, tubes and pumps.

REF	CAPACITY	U/BOX
CO090HLI	1 L	12
CO090JLI	5 L	40
CO090KLI	25 L	-

POLISH



3-in-1 Eco-Clean System

Professional product for automotive use. Medium grade abrasive producing a high-gloss result, suitable for conventional paints and varnishes. Silicone-free. Suitable for removing sanding marks, leaving a gloss finish. For rotary or orbital application with woollen bonnets or buffer pads.

REF	CAPACITY	U/BOX
C00068DLI	150 ml	6

ceroil.com

Ceroii 13

5 L.

ANTIFREEZE & COOLANTS

WINTER DIESEL



Antifreeze for Diesel fuel

Diesel fuel cold fluidity improver additive Widens range of use of Diesel fuel by reducing its freezing point. Delays the appearance of crystals in the Diesel fuel that obstruct the filter and prevent the engine from starting. Special additive for reducing Diesel fuel freezing point.

For all types of automotive vehicles with a Diesel engine. Also for buses, trucks, agricultural and public works machinery, etc.

REF	CAPACITY	U/BOX
CO0042HNA	1 L	12
CO0042JNA	5 L	4



Formula without water -55 °C to 185 °C

Concentrated colourless waterless coolant/antifreeze. Its boiling point above 185 °C prevents cooling system overheating, cavitation and boiling. Protection from -55 °C to 185 °C.

For racing cars and motorcycles if race regulations allow it. Recommended for cooling systems that are incompatible with water.

- · Prevents overheating.
- Reduces cooling system pressure.
- Prevents water-induced corrosion.

REF	CAPACITY	U/BOX
CO0048HNA	1 L	12
CO0048JNA	5 L	4
CO0048KNA	25 L	-

ON TRACK COOLANT



Coolant for circuit track racing

Colourless fluid, coolant, formulated without glycol and with demineralized H_2O-based anticorrosion additives. Developed for use in car and motorcycle circuit track racing when regulations allow it.

- Formulated without glycol.
- Does not slip when in contact with the asphalt.
- High heat transmission qualities.
- Reduces engine operating temperature.
- Highly anti-corrosive.
- · Prevents crystallization of scale.

REF	CAPACITY	U/BOX
CO0055HNA	1 L	12
CO0055JNA	5 L	4
CO0055KNA	25 L	-



The BEST solution is PREVENTION



ceroil.com

ANTIFREEZE & COOLANTS

ORGANIC



30% antifreeze

Organic mono-ethylene glycol based coolant/antifreeze diluted with demineralized water and additives that prevent oxidation and depression. Additionally contains long-lasting organic inhibitors that improve cooling system performance. Depending on its concentration, it can lower its freezing point, raise its boiling point, and prevents corrosion and the formation of foam.

REF	CAPACITY	U/BOX
CO0023HNA	1 L	15
CO0023JNA	5 L	4
CO0023KNA	25 L	-




50% antifreeze

Organic mono-ethylene glycol based coolant/antifreeze diluted with demineralized water and additives that prevent oxidation and depression. Additionally contains long-lasting organic inhibitors that improve cooling system performance. Depending on its concentration, it can lower its freezing point, raise its boiling point, and prevents corrosion and the formation of foam.

REF	CAPACITY	U/BOX
CO0024HNA	1 L	15
CO0024JNA	5 L	4
CO0024KNA	25 L	-

SPECIALLY FOR LOW TEMPERATURES



Concentrated antifreeze specially suited for protecting any type of closed cooling circuit from low temperatures down to -35 °C.

- · Harmless to various materials
- High stability, low volatility
- Circuit antioxidant protection
- No foaming, no resides

REF	CAPACITY	U/BOX
CO0043HNA	1 L	15
CO0043JNA	5 L	4
CO0043KNA	25 L	-



Concentrated antifreeze specially suited for protecting any type of closed cooling circuit from low temperatures down to -52 °C.

- · Harmless to various materials
- High stability, low volatility
- Circuit antioxidant protection
- No foaming, no resides

REF	CAPACITY	U/BOX
CO0040HNA	1 L	15
CO0040JNA	5 L	4
CO0040KNA	25 L	-





🔿 ceroii

15

ECO CLEAN - ECOLOGICAL CLEANING

ECOLOGICAL AND BIODEGRADABLE



Cleaner for dashboards and interiors

Cleaner and conditioner for any type of material and interior surface in the vehicle. Repels dust and dirt. Prevents fingerprints and marks, minimizes scratches. Does not yellow with time nor change surface colours. Harmless to metals. Suitable for cars, vinyl roofs, leather, dashboards, lacquered furniture, etc. Once the product has been evenly spread, wipe with a dry cloth to remove any excess.



Upholstery cleaner

Upholstery cleaner. On rubbing, it produces an abundant dry foam that extracts dirt from fabrics without damaging them, revitalizing their colours. Ideal product for cleaning all kinds of carpets, upholstery, etc., except for wool fabrics. Leave to dry before using the seat. Remove product residue by vacuuming or wiping. Ventilation is recommended to avoid the humidity from the drying process adhering to other surfaces.

BODYWORK 500 ml.

Car body cleaner

Specific product for waterless ecological washing of all types of vehicle. Its special formula permits thorough washing of the vehicle, including wheels and tyres, without any need for water, which is an important saving on natural resources that also avoids polluting and disposal of waste water. Removes all types of dirt stuck to the vehicle: oil, dust, insects, etc., while not damaging the paintwork and providing a high quality, spectacularly glossy finish that is smooth to the touch and slippery, repelling dust and keeping the surface clean and bright for longer. Do not apply when the bodywork is very hot.

REF	CAPACITY	U/BOX	REF	CAPACITY	U/BOX
CO0064FLI	500 ml	6	CO0062FLI	500 ml	6





Cleaner for motorcycle bodywork

Product specifically for ecological washing of motorcycles, bicycles, etc. without using water. Its special formula permits thorough washing of the motorcycle, including wheels and tyres, without any need for water, which is an important saving on natural resources that also avoids polluting and disposal of waste water. Removes all types of dirt stuck to the motorcycle: oil, dust, insects, etc., while not damaging the paintwork and providing a high quality, spectacularly glossy finish that is smooth to the touch and slippery, repelling dust and keeping the surface clean and bright for longer. Do not apply when the bodywork is very hot.

REF	CAPACITY	U/BOX
CO0070FLI	500 ml	6

MOTORCYCLE WHEELS	S
500 ml.	

Cleaner for motorcycle wheels

Highly concentrated product for cleaning motorcycle wheels. Cleans off soot and dirt that accumulates on wheels, leaving them completely clean and shiny. Do not apply on hot wheels.

REF CAPACITY U/BOX CO0061FLI 500 ml 6



Cleaner for car wheels

Highly concentrated product for cleaning aluminium wheels on vehicles. Cleans off soot and dirt that accumulates on wheels, leaving them completely clean and shiny. Do not apply on hot wheels.

REF	CAPACITY	U/BOX	REF	CAPACITY	U/BOX
CO0069FLI	500 ml	6	CO0065FLI	500 ml	6

ECO CLEAN - ECOLOGICAL CLEANING

ECOLOGICAL AND BIODEGRADABLE



Tyre polish

Tyre polisher. Provides tyres with a perfect finish and a spectacular shine that make them look like new. Protects and maintains the elasticity of the rubber. Does not contain solvents. Does not dry out.



Mosquito and insect cleaner

Specially formulated product for cleaning off mosquitos and dirt originating from insects that have impacted against vehicle surfaces. High degreasing power, removing dirt with little effort. Does not damage treated surfaces, leaving them bright and clean after final rinsing. It must be left to act for a few minutes and then rinsed off with water under pressure. GLASS

Neutral glass cleaner

Multipurpose glass cleaner that eliminates bacteria when directly applied. High cleaning power for all types of glass surfaces such as mirrors, windows and all types of washable surfaces, plastics, etc. Its special formulation provides a high cleaning power on all treated surfaces. With a self-drying effect, it evaporates quickly, leaving clear surfaces with no smearing or misting. Dries by itself. No need to rinse off.

REF	CAPACITY	U/BOX	REF	CAPACITY	U/BOX	REF	CAPACITY	U/BOX
CO0067FLI	500 ml	6	CO0066FLI	500 ml	6	CO0060FLI	500 ml	6

LEATHER NUTRIENT



Nutrient for leather

Leather upholstery requires special conditioning to keep it smooth and nourished. NUTRIENTE DE PIEL hydrates the surface, preserving its strength, texture, beauty and flexibility. Non-greasy formula that dries to the touch in minutes. Provides dirt- and liquid-repellent agents to increase the leather's protection. Essential for keeping leather upholstery perfect for years. Ideal for rejuvenating old or well-worn upholstery.

REF	CAPACITY	U/BOX
CO0063FLI	500 ml	6





HYGIENE & SANITIZATION

ALCOHOL SPRAY



Isopropyl alcohol - Spray cleaner

Highly efficient spray cleaner for all types of surface. 100% isopropyl alcohol for cleaning various treated surfaces

- · Fast cleaning.
- Eliminates any dirt or POLLUTANT
- · EVAPORATES COMPLETELY.
- Leaves no residue.
- · Does not deteriorate rubber protectors.
- · Very easy to use.

250 ml.

- · Highly effective.
- Perfume-free

🕿 🏍 🛦 🗒 🖀 礁 ぬ な 氷

REF	CAPACITY	U/BOX
CO0075ELI	400 ml	12

ALCOHOL GEL 200 ml. •))ceroil 100 ml. ()ceroi ٢ reals of the

Hydroalcoholic disinfectant solution

ALCOHOL GEL

ECOLOGICOS

5 L

Specially designed for fast, effective disinfection by friction with no need for rinsing. This cleaner is suitable for cleaning surfaces and disinfecting skin. Neutral pH. Useful for staff handling foodstuffs in the meat and food industries, schools, nurseries and all those cases requiring a disinfectant effect to complement hand-washing with soap. Its composition means it can also be used for cleaning cutting equipment, knives, etc.

- · Requires no water to use it.
- Quick to apply and dry.
- · Refreshing effect.
- Allows frequent disinfection without the inconvenience of traditional washing.

Ingredients: Denatured alcohol, water, glycerine, carboxyvinyl polymer and triethanolamine. Cl 15985. Contains up to 70% ethanol in solution.



📾 🏍 🛦 🗐 🖀 編 ぬ な 氷

REF	CAPACITY	U/BOX
CO0074DLI	250	20
CO0074JLI	5 L	4
CO0074KLI	25 L	-



REF C00073DLI

CO0073JLI

C00073KLI

CAPACITY

250 ml

5 L

25 L

ceroil.com

U/BOX

20

4



CEROILProductisafamilyfirmthatmanufacturesanddistributesmaintenanceproductsforautomotive, nautical and industrial use, specializing in additives. These products prevent faults from occurring or solve them without needing to remove or disassemble components.

Products of this type use what is known as chemical mechanics, truly effective if used regularly and above all preventively. They are alternative solutions to costly repairs:

The best solution is prevention.

With a firm commitment to caring for the environment, in addition to the above-mentioned additives CEROIL's broad offering includes certified **ecological and biodegradable products** for dry cleaning vehicles, as well as a few disinfectants.

• Juan Cano – CEO & Founder: 'We have been in this market for 18 years, building on the quality of our range of products and improving our offering day by day according to market needs.'

• Cris Cano – Brand Manager: 'Our main objective is to offer our customers the best possible solution with a top-quality product and value for money, paying special attention to being environmentally friendly by using the most suitable components.'

NOTES	

